


Lonas

Screen Opac400

Aplicaciones (usos) sistemas enrollables verticales - panel
deslizante
Uso interior

Ancho : 2.00 m / 2.50 m / 3.00 m



Screen Opac400

Datos técnicos

Tejido - Basic fabric

Tejido de fibra de vidrio laminado con vinilo

Gramaje g/m² - Weight g/sqm

432

Espesor - Thickness mm

0.33

Solidez del color - color fastness


7

Ignífugo - Fire retardant

UNE EN 13773-2003 (Clase 1)

Ancho - Width mm


2.000/2.500/3.000



LOPAC4000202

SCREEN OPAC-400-0202 BLANCO


Ancho 2.00/3.00



LOPAC40015015

SCREEN OPAC-400-1515 LINO

Ancho 2.00/3.00



LOPAC4000808

SCREEN OPAC-400-0808 SABLE


Ancho 2.00/3.00

Screen Opac400



LOPAC4000707

SCREEN OPAC-400-0707 PERLA Ancho 2.00/2.50/3.00



LOPAC40010001

SCREEN OPAC-400-1001 GREY Ancho 2.00/3.00



LOPAC4001010

SCREEN OPAC-400-1010 NEGRO Ancho 2.00/3.00

Toldos Serrano S.L
Fabrica y oficinas
Crta. Cogullada N.40
50.014 Zaragoza
Tlf. 976 47 22 22
Email. info@toldosserrano.com

Toldos Serrano S.L
Exposición y venta
Avd. Navarra 41-43
50.010 Zaragoza
Tlf. 976 33 33 28
Email. info@toldosserrano.com

